

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.		FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/600,876		06/20/2003	Amol S. Pandit	200206854-1	6670	
22879	7590	07/26/2006	EXAMINER			
		ARD COMPANY	MISLEH, JUSTIN P			
	•	104 E. HARMONY R	1221212	D. DOD . W. C. DOD		
INTELLEC	TUAL PI	ROPERTY ADMINIS	ART UNIT	PAPER NUMBER		
FORT COLLINS, CO 80527-2400				2622		
				DATE MAILED: 07/26/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
		10/600,876	PANDIT ET AL.			
	Office Action Summary	Examiner	Art Unit			
		Justin P. Misleh	2622			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
2a) ☐ 3) ☐	Responsive to communication(s) filed on	action is non-final. nce except for formal matters, pro				
Dispositi	Disposition of Claims					
5)□ 6)⊠ 7)□	Claim(s) 1 - 25 is/are pending in the application 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 1 - 25 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or	vn from consideration.				
Application Papers						
10) 🖾 -	The specification is objected to by the Examine The drawing(s) filed on 20 June 2003 is/are: a) Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction of the coath or declaration is objected to by the Example 1.	☑ accepted or b)☐ objected to drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority u	nder 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
2) Notice 3) Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date 1 page.	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:				

Art Unit: 2622

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 1 25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Kayanuma (US 2002/0186317 A1; herein referred to as K-1) in view of Kayanuma (US 2002/0149695 A1; herein referred to as K-2).
- 3. For Claim 1, K-1 discloses, as shown in figures 1 4, a camera tripod (60) for a digital camera (10) comprising: a camera mount (30); and a set of tripod legs that supports the camera mount (clearly shown in figure 4).
 - K-1 does not disclose tripod memory housed in the camera mount.

On the other hand, K-2 also discloses a camera mount for a digital camera. Specifically, K-2 teaches, as shown in figure 4, 7, and 8, a camera mount (100) for a digital camera (10) having memory (170) housed in the camera mount (100).

At the time the invention was made, it would have been obvious to one with ordinary skill in the art to have included a memory housed in a camera mount (as taught by K-2) so as to be a tripod memory in the tripod having a camera mount (disclosed by K-1) for the advantage of digital camera data backup (see K-2; paragraph 0014).

Art Unit: 2622

4. As for Claim 2, K-1 discloses, as shown in figure 2 and as stated in paragraph 0046, wherein the digital camera (10) has a recording medium (which can either be internal or removable) for recording/reproducing a still image and sound-accompanying moving image. However, K-2 additionally teaches, as stated in paragraphs 0063 – 0068, wherein the tripod memory (170) provides memory storage for the digital camera (10) in addition to a memory (48) of the digital camera (10).

- 5. As for Claim 3, K-1 discloses, as shown in figure 1, and K-2 discloses, as shown in figures 7 and 8, an electrical portion (34/104, respectively) on the camera mount (30/100; respectively) that electrically interfaces to the digital camera (10). However, in figure 8 of K-2, the tripod memory (170) is shown to be connected to the electrical portion (104) such that the tripod memory (170) is accessible to the digital camera (10).
- 6. As for Claim 4, K-1 discloses, as shown in figure 3 and 4 and as stated in paragraph 0052, wherein the camera mount (30) further comprises an input/output (I/O) port (52) that electrically interfaces the electrical portion (34) to an external device or system (e.g., PC).
- 7. As for Claim 5, K-1 discloses, as shown in figures 1 and 2, wherein the camera mount (30) further comprises a mechanical portion (42/44) that mechanically interfaces to the digital camera (10) to fasten the digital camera (10) to the camera tripod (60).
- 8. As for Claim 6, K-2 additionally teaches, as shown in figure 8 and as stated in paragraphs 0063 0068, wherein when the digital camera (10) is electrically interfaced (104) to the camera mount (100), data is transferred between a camera memory (100) of the digital camera (10) and the tripod memory (170).

Art Unit: 2622

9. As for Claim 7, because of the alternative language (e.g., or), the language only requires a tripod power source (a) housed in the camera mount, or (b) housed in a leg of the set of tripod legs, or (c) housed both in the camera mount and in the leg of the set of tripod legs. In paragraph 0061, K-2 additionally teaches, a tripod power source ("large-capacity battery" or power cable 131) housed in the camera mount (100).

- 10. As for Claim 8, K-2 additionally teaches, in paragraphs 0042 and 0052, wherein the tripod power source ("large-capacity battery" or power cable 131) provides power to the digital camera (10) in addition to a battery-based power source (52) of the digital camera, the tripod power source ("large-capacity battery" or power cable 131) providing power to the digital camera (10) to extend an operational life of a battery ("charging") of the digital camera (10).
- 11. As for **Claim 9**, the Examiner notes that <u>all</u> batteries must be either a rechargeable type battery or a non-rechargeable type battery. While K-2 does not specify whether the tripod power source ("large-capacity battery") is rechargeable or non-rechargeable; the tripod power source ("large-capacity batter") <u>must</u> be one of these types of batteries.
- 12. As for Claim 10, K-2 teaches, as shown in figure 8 and in paragraphs 0042, 0052, and 0063 0068, wherein the camera mount (100) comprises an electrical portion (104) that electrically interfaces to the digital camera (see paragraph 0041), the tripod power source ("large-capacity battery" or power cable 131) and the tripod memory (170) being connected to the electrical portion (104) such that the tripod power source and the tripod memory are accessible to the digital camera.
- 13. As for Claim 11, K-2 teaches, in paragraph 0042, the tripod power source ("large-capacity battery" or power cable 131) charging the digital camera (10) battery (52).

Page 5

Art Unit: 2622

Furthermore, K-2 teaches, in paragraph 0061, the tripod power source ("large-capacity battery" or power cable 131) providing operational/driving power to the digital camera (10). Thus, it is clear that K-2 additionally teaches wherein the tripod power source provides one or both of operational power to the digital camera and energy to recharge a battery of the digital camera when the digital camera is electrically interfaced to the camera mount.

14. For Claim 12, K-1 discloses, as shown in figures 1-4, a camera tripod (60) for a digital camera (10) comprising: a camera mount (30); and a set of tripod legs that supports the camera mount (clearly shown in figure 4).

K-1 does not disclose tripod memory housed in the camera mount or because of the alternative language (e.g., or), a tripod power source (a) housed in the camera mount, or (b) housed in a leg of the set of tripod legs, or (c) housed both in the camera mount and in the leg of the set of tripod legs.

On the other hand, K-2 also discloses a camera mount for a digital camera. Specifically, K-2 teaches, as shown in figure 4, 7, and 8, a camera mount (100) for a digital camera (10) having memory (170) housed in the camera mount (100). In paragraph 0061, K-2 additionally teaches, a tripod power source ("large-capacity battery" or power cable 131) housed in the camera mount (100).

At the time the invention was made, it would have been obvious to one with ordinary skill in the art to have included a memory housed in a camera mount (as taught by K-2) and a tripod power source housed in the camera mount (also as taught by K-2) so as to be a tripod memory in the tripod having a camera mount (disclosed by K-1) for the advantage of digital camera data backup (see K-2; paragraph 0014).

Art Unit: 2622

15. As for Claim 13, K-2 teaches, as shown in figure 8 and in paragraphs 0042, 0052, and 0063 – 0068, wherein the camera mount (100) comprises an electrical portion (104) that electrically interfaces to the digital camera (see paragraph 0041), the tripod power source ("large-capacity battery" or power cable 131) and the tripod memory (170) being connected to the electrical portion (104) such that the tripod power source and the tripod memory are accessible to the digital camera.

- 16. As for Claim 14, K-1 discloses, as shown in figures 1 and 2, wherein the camera mount (30) further comprises a mechanical portion (42/44) that mechanically interfaces to the digital camera (10) to fasten the digital camera (10) to the camera tripod (60).
- 17. As for Claim 15, K-1 discloses, as shown in figure 2 and as stated in paragraph 0046, wherein the digital camera (10) has a recording medium (which can either be internal or removable) for recording/reproducing a still image and sound-accompanying moving image. However, K-2 additionally teaches, as stated in paragraphs 0063 0068, wherein the tripod memory (170) provides memory storage for the digital camera (10) in addition to a memory (48) of the digital camera (10). Furthermore, K-2 teaches, in paragraph 0042, the tripod power source ("large-capacity battery" or power cable 131) charging the digital camera (10) battery (52). Furthermore, K-2 teaches, in paragraph 0061, the tripod power source ("large-capacity battery" or power cable 131) providing operational/driving power to the digital camera (10). Thus, it is clear that K-2 additionally teaches wherein the tripod power source provides one or both of operational power to the digital camera and energy to recharge a battery of the digital camera when the digital camera is electrically interfaced to the camera mount.

Art Unit: 2622

18. As for Claim 16, the Examiner notes that <u>all</u> batteries must be either a rechargeable type battery or a non-rechargeable type battery. While K-2 does not specify whether the tripod power source ("large-capacity battery") is rechargeable or non-rechargeable; the tripod power source ("large-capacity batter") <u>must</u> be one of these types of batteries.

Page 7

19. As for Claim 17, because of the alternative language (e.g., or), the language <u>only</u> requires wherein the tripod power source further comprises a power supply circuit that comprises at least one of (a) a battery conditioner, (b) a battery charger, (c) and a power conditioner. Furthermore, in the same regard the power supply circuit facilitating at least on of (d) charging the tripod battery, or (e) powering the tripod memory, or (f) powering the digital camera, and (g) charging a battery of the digital camera.

K-2 teaches, in paragraph 0042, the tripod power source ("large-capacity battery" or power cable 131) charging the digital camera (10) battery (52). Furthermore, K-2 teaches, in paragraph 0061, the tripod power source ("large-capacity battery" or power cable 131) providing operational/driving power to the digital camera (10). Thus, it is clear that K-2 additionally teaches wherein the tripod power source further comprises a power supply circuit that comprises a battery charger and wherein the power supply circuit facilitates powering the digital camera.

20. As for Claim 18, because of the alternative language (e.g., or), the language only requires a tripod power port connected to (a) the tripod power source, or (b) an electrical portion of the camera mount, or (c) both the tripod power port and the electrical portion of the camera mount. In figures 1 – 3, K-1 discloses a tripod power port (48) connected to an electrical portion (34) of the camera mount (30; see paragraph 0052). K-1 additionally discloses, also in paragraph 0052,

Art Unit: 2622

the tripod power port (48) optionally (see figure 3) comprises an alternating current (AC) adapter that interfaces the tripod power source to an external AC power outlet.

Page 8

21. For Claim 19, K-1 discloses, as shown in figures 1 – 4, a method of using a camera tripod (60) with a digital camera (10) comprising:

connecting the digital camera (10) to a camera mount (30) of the camera tripod (60), the camera mount (30) comprising an electrical portion (34).

K-1 does not disclose wherein the camera mount has tripod memory and, accordingly, transferring data between a memory of the connected digital camera and tripod memory of the camera mount.

On the other hand, K-2 also discloses a camera mount for a digital camera. Specifically, K-2 teaches, as shown in figure 4, 7, and 8, a camera mount (100) for a digital camera (10) having memory (170) housed in the camera mount (100). K-2 additionally teaches, as shown in figure 8 and as stated in paragraphs 0063 – 0068, wherein when the digital camera (10) is electrically interfaced (104) to the camera mount (100), data is transferred between a camera memory (100) of the digital camera (10) and the tripod memory (170).

At the time the invention was made, it would have been obvious to one with ordinary skill in the art to have included a memory housed in a camera mount for transferring data between the camera memory and the tripod memory (as taught by K-2) in the camera mount (disclosed by K-1) for the advantage of digital camera data backup (see K-2; paragraph 0014).

22. As for **Claim 20**, K-1/K-2 in combination teach wherein the electrical portion (34/104) of the camera mount (100) further has a tripod battery (K-2's "large-capacity battery"), connecting further comprises interfacing the digital camera to the tripod battery.

K-1 discloses, as shown in figure 3 and 4 and as stated in paragraph 0052, wherein the camera mount (30) further comprises an input/output (I/O) port (52) that electrically interfaces the electrical portion (34) to an external device or system (e.g., PC).

K-2 teaches, in paragraph 0042, the tripod power source ("large-capacity battery" or power cable 131) charging the digital camera (10) battery (52). Furthermore, K-2 teaches, in paragraph 0061, the tripod power source ("large-capacity battery" or power cable 131) providing operational/driving power to the digital camera (10). Thus, it is clear that K-2 additionally teaches wherein the tripod power source provides one or both of operational power to the digital camera and energy to recharge a battery of the digital camera when the digital camera is electrically interfaced to the camera mount.

23. For Claim 21, K-1 discloses, as shown in figures 1-4, a camera tripod (60) for a digital camera (10) comprising: a camera mount (30); and a means for supporting the camera mount (clearly shown in figure 4).

K-1 does not disclose a means for storing data in the camera mount.

On the other hand, K-2 also discloses a camera mount for a digital camera. Specifically, K-2 teaches, as shown in figure 4, 7, and 8, a camera mount (100) for a digital camera (10) having memory (170) housed in the camera mount (100). Therefore, K-2 teaches a means for storing data in the camera mount.

At the time the invention was made, it would have been obvious to one with ordinary skill in the art to have included a means for storing data in the camera mount (as taught by K-2) so as to be a tripod memory in the tripod having a camera mount (disclosed by K-1) for the advantage of digital camera data backup (see K-2; paragraph 0014).

Art Unit: 2622

24. As for Claim 22, K-2 additionally teaches, as shown in figure 8 and as stated in paragraphs 0063 – 0068, wherein when the digital camera (10) is electrically interfaced (104) to the camera mount (100), data is transferred between a camera memory (100) of the digital camera (10) and the means for storing (170).

- 25. As for Claim 23, because of the alternative language (e.g., or), the language only requires a means for supplying power (a) housed in the camera mount, or (b) housed in the means for supporting, or (c) housed both in the camera mount and in the means for supporting. In paragraph 0061, K-2 additionally teaches, a means for supplying power ("large-capacity battery" or power cable 131) housed in the camera mount (100). Furthermore, K-2 teaches, in paragraph 0042, the means for supplying power ("large-capacity battery" or power cable 131) charging the digital camera (10) battery (52). Moreover, K-2 teaches, in paragraph 0061, the means for supplying power ("large-capacity battery" or power cable 131) providing operational/driving power to the digital camera (10). Thus, it is clear that K-2 additionally teaches wherein the means for supplying power energizing one or more of the digital camera and a battery of the digital camera when interfaced to the camera mount and the means for storing.
- 26. As for Claim 24, the Examiner notes that <u>all</u> batteries must be either a rechargeable type battery or a non-rechargeable type battery. While K-2 does not specify whether the tripod power source ("large-capacity battery") is rechargeable or non-rechargeable; the tripod power source ("large-capacity batter") must be one of these types of batteries.
- 27. As for Claim 25, because of the alternative language (e.g., or), the language only requires that the means for storing data comprises (a) an internal memory, or (b) a removable memory, or

Art Unit: 2622

(c) both an internal memory and a removable memory. In regards to option (a), K-2 teaches, in paragraphs 0063 – 0068, wherein the means for storing is a removable memory.

Cited Prior Art

- 28. The prior art made of record and not relied upon is considered pertinent to Applicant's disclosure for the following reasons:
- o Fredlund et al. (US 2004/0021669 A1) disclose a camera mount for interfacing with a digital camera to transfer image data from a camera memory to a camera mount memory.
- O Yu et al. (US 2003/0118339 A1) disclose a camera tripod having a camera mount with an internal battery power supply for supplying power to the camera when mounted on the camera mount.
- o **Bosnakovic** (5,934,628) discloses a camera tripod having a tripod power supply built-in to a supporting member of the tripod to, when necessary, supply power to a camera attached thereto.

Conclusion

29. Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Justin P Misleh whose telephone number is 571.272.7313. The Examiner can normally be reached on Monday through Friday from 8:00 AM to 5:00 PM.

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Vivek Srivastava can be reached on 571.272.7304. The fax phone number for the organization where this application or proceeding is assigned is 571.273.3000.

Application/Control Number: 10/600,876 Page 12

Art Unit: 2622

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JPM

July 19, 2006

VIVEK SRIVASTAVA PRIMARY EXAMINER